

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5	birk.in. and compress\$3 and disk	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 19:59
L2	19	("5421031" "5532735" "5604731" "5606359" "5610653" "5640194" "5694334" "5701582" "5751336" "5752160" "5793412" "5815491" "5845279" "5850218" "5884141" "5899582" "6018539" "6115786" "6122662").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 19:59
S1	36	digest with playback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 18:51
S2	131	Steele.in. and segment	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 18:51
S3	1	Steele.in. and segment same pointer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 18:57
S4	34	"5884056".URPN.	USPAT	OR	OFF	2004/09/08 18:52
S5	0	(playback near5 pointer\$1) same multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 18:58
S6	8	(playback near5 point\$4) same multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 19:04
S7	137	725/88,102.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 19:11
S8	60	725/88,102.ccls. and buffer\$3 and delay\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 19:06
S9	12	725/88,102.ccls. and buffer\$3 and delay\$3 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 19:06

S10	15	725/88,102.ccls. and buffer\$3 and multicast\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 19:06
S11	91	725/88,102.ccls. and buffer\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/08 19:11
S12	74	725/88,102.ccls. and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 16:56
S13	504	Ellis.in. and counter	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 13:22
S14	127	Ellis.in. and counter and record\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 13:22
S15	0	Ellis.in. and counter and 'to be recorded'	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 13:23
S16	2	Ellis.in. and counter and (record\$3 near3 schedul\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 13:24
S17	13	Ellis.in. and counter and (record\$3 with list\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 13:25
S18	10	(Ellis.in. and counter and (record\$3 with list\$3)) and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 17:29
S19	1106	rewind with point\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 13:27
S20	44	(rewind with point\$3) and 725/87-104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 13:28

S21	22	((rewind with point\$3) and 725/87-104.ccls.) and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 17:27
S22	6945	(VCR with (television or monitor or display))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 17:28
S23	0	(VCR with (television or monitor or display))same pastforward	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 17:28
S24	0	(VCR with (television or monitor or display))same past\$1forward	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 17:28
S25	282	(VCR with (television or monitor or display))same (VCR near3 function\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 17:29
S26	225	(VCR with (television or monitor or display))same (VCR near2 function\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 17:29
S27	61	(VCR with (television or monitor or display))same (VCR near2 function\$1) same play\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 17:29
S28	39	((VCR with (television or monitor or display))same (VCR near2 function\$1) same play\$3) and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 18:18
S29	1	"United video properties".as. and pointer same playback	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 17:45
S30	1	"United video properties".as. and (pointer same play\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 19:27
S31	230	Freeman.in. and trigger\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 18:59

S32	3	Freeman.in. and trigger\$1 and Internet and VBI	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 18:59
S33	35	Freeman.in. and trigger\$1 and Internet	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 19:19
S34	82	725/89.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 19:27
S35	23	725/89.ccls. and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 20:08
S36	14	725/89.ccls. and (@ad<="19991028" or @rlad<="19991028") and (rewind\$3 or fast\$1forward)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 19:40
S37	5469	((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 20:09
S38	2652	((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU)same (load\$3 or record\$3 or stor\$3 or buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 20:10
S39	428	(725/86-104.ccls. or "386"/\$.ccls.) and (((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU)same (load\$3 or record\$3 or stor\$3 or buffer\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 20:10
S40	306	((725/86-104.ccls. or "386"/\$.ccls.) and (((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU)same (load\$3 or record\$3 or stor\$3 or buffer\$3))) and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 20:11
S41	113	(725/86-104.ccls.) and (((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU)same (load\$3 or record\$3 or stor\$3 or buffer\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 20:08
S42	63	((725/86-104.ccls.) and (((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU)same (load\$3 or record\$3 or stor\$3 or buffer\$3))) and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 20:09

S43	5768	((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU or recept\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 20:09
S44	2773	((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU or recept\$5) same (load\$3 or record\$3 or stor\$3 or buffer\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 20:10
S45	114	(725/86-104.ccls.) and (((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU or recept\$5) same (load\$3 or record\$3 or stor\$3 or buffer\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 20:10
S46	64	((725/86-104.ccls.) and (((VCR near3 function\$1) or fast\$1forward\$3 or rewind\$3) same (receiv\$3 or STB or STT or STU or recept\$5) same (load\$3 or record\$3 or stor\$3 or buffer\$3))) and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 21:24
S47	4217	((pre\$fetch\$3 or pre\$load\$3) same remain\$4) and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 21:25
S48	1738	((pre\$fetch\$3 or pre\$load\$3) with remain\$4) and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 21:25
S49	15	((pre\$fetch\$3 or pre\$load\$3) with remain\$4) same (movie\$1 or video or television or TV) and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 21:29
S50	5	NVOD and 725/102.ccls. and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 21:30
S51	20	725/102.ccls. and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/09 21:30
S52	21250	(jump\$3 or skip\$4 or seek\$3) near4 (point\$3 or position)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 13:18
S53	2146	((jump\$3 or skip\$4 or seek\$3) near4 (point\$3 or position)) with (stor\$3 or buffer\$3 or cache or memory)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 13:19

S54	325	((jump\$3 or skip\$4 or seek\$3) near4 (point\$3 or position)) with (stor\$3 or buffer\$3 or cache or memory) same (VOD or NVOD or movie or program or television)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 13:19
S55	436	((jump\$3 or skip\$4 or seek\$3) near4 (point\$3 or position)) with (stor\$3 or buffer\$3 or cache or memory) same (VOD or NVOD or movie or program or television or video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 13:20
S56	30	((jump\$3 or skip\$4 or seek\$3) near4 (point\$3 or position)) with (stor\$3 or buffer\$3 or cache or memory) same (VOD or NVOD or movie or program or television or video)) and ("725"/\$.ccls. or "386"/\$.ccls)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 13:20
S57	22	((jump\$3 or skip\$4 or seek\$3) near4 (point\$3 or position)) with (stor\$3 or buffer\$3 or cache or memory) same (VOD or NVOD or movie or program or television or video)) and ("725"/\$.ccls. or "386"/\$.ccls)) and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/10 16:19
S58	11146	(buffer\$1 same (realtime or (real near2 time)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 16:23
S59	50	(buffer\$1 same (realtime or (real near2 time)))same (pre\$1fetch\$3 or (pre near2 fetch\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 16:42
S60	70	(buffer\$1 same (realtime or (real near2 time)))same (pre\$1fetch\$3 or (pre near2 fetch\$3) or pre\$1load\$3 or pre\$1download\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 16:24
S61	46	((buffer\$1 same (realtime or (real near2 time)))same (pre\$1fetch\$3 or (pre near2 fetch\$3) or pre\$1load\$3 or pre\$1download\$3)) and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 16:44
S62	356	(buffer\$1 same (realtime or (real near2 time)))same ((transmit\$4 provid\$3 or deliver\$3) with (rate\$1 or speed))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 16:43
S63	27	(buffer\$1 same (realtime or (real near2 time)))same ((transmit\$4 provid\$3 or deliver\$3) with (rate\$1 or speed)) same (load\$3 or download\$3 or pre\$3fetch\$3 or pre\$3load\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 16:47

S64	19	((buffer\$1 same (realtime or (real near2 time)))same ((transmit\$4 provid\$3 or deliver\$3) with (rate\$1 or speed)) same (load\$3 or download\$3 or pre\$3fetch\$3 or pre\$3load\$3)) and (@ad<="19991028" or @rlad<="19991028"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 16:49
S65	232	(buffer\$1 same (pre\$3fetch\$3 or pre\$1load\$3 or pre\$3download\$3)) same (movie\$1 or video)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 16:48
S66	78	(buffer\$1 same (pre\$3fetch\$3 or pre\$1load\$3 or pre\$3download\$3)) same (movie\$1 or video) and (VOD or NVOD or demand\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 16:49
S67	43	((buffer\$1 same (pre\$3fetch\$3 or pre\$1load\$3 or pre\$3download\$3)) same (movie\$1 or video) and (VOD or NVOD or demand\$3)) and (@ad<="19991028" or @rlad<="19991028"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 18:17
S68	545	((buffer\$1 same (movie\$1 or video) same (VOD or NVOD or demand\$3))) and (@ad<="19991028" or @rlad<="19991028"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 18:19
S69	112	((((buffer\$1 same (movie\$1 or video) same (VOD or NVOD or demand\$3))) and (@ad<="19991028" or @rlad<="19991028"))) and "725"/\$.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 18:18
S70	112	(((((buffer\$1 same (movie\$1 or video) same (VOD or NVOD or demand\$3))) and (@ad<="19991028" or @rlad<="19991028"))) and "725"/\$.ccls.) and (@ad<="19991028" or @rlad<="19991028"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 18:18
S71	71	((buffer\$1 same ((movie\$1 or video)with (segment or portion\$1 or interval or period)) same (VOD or NVOD or demand\$3))) and (@ad<="19991028" or @rlad<="19991028"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 18:20
S72	8	((buffer\$1 same ((movie\$1 or video)with (segment or portion\$1 or interval or period)) same (rest or remain\$3) same (VOD or NVOD or demand\$3))) and (@ad<="19991028" or @rlad<="19991028"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 18:26
S73	78	((buffer\$1 same ((movie\$1 or video)with (segment or portion\$1 or interval or period)) same (rest or remain\$3) and (VOD or NVOD or demand\$3))) and (@ad<="19991028" or @rlad<="19991028"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/14 18:53
S74	64	((loader\$1 with buffer\$1) and (VOD or NVOD or demand\$3)) and (@ad<="19991028" or @rlad<="19991028"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 16:52

S75	67	equation with size with sigma	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 16:55
S76	54	(equation with size with sigma) and (@ad<="19991028" or @rlad<="19991028")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 16:57
S77	8	(equation with size with sigma) and (@ad<="19991028" or @rlad<="19991028") and (video or TV or television)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/09/15 16:57
S79	140	725/88,102.ccls. and point\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:53
S80	110	725/88,102.ccls. and point\$3 and (re\$1wind or backward or jump\$4 or skip\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/14 17:54
S81	4	("5963202" "6588015").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 12:41
S82	4	("5758257" "6637029").pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/20 12:41
S83	6	(rewind\$3 (fast near2 backward\$3) fast\$1backward) same underflow\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 21:03
S84	15	(rewind\$3 (fast near2 (reverse backward\$3)) fast\$1backward) same underflow\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 21:10
S85	400	(rewind\$3 (fast near2 (reverse backward\$3)) fast\$1backward or jump\$3 or skip\$3) same underflow\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 21:11
S86	423	(rewind\$3 (fast near2 (reverse backward\$3)) fast\$1backward or jump\$4 or skip\$4) same underflow\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 21:11

S87	23	(rewind\$3 (fast near2 (reverse backward\$3)) fast\$1backward or jump\$4 or skip\$4) same underflow\$3 same (stop or discontinu\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/21 21:11
S88	313	(different near3 version\$1) with rat\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 21:45
S89	27	(different near3 version\$1) with (rate\$1 or rating\$1) same (program or movie)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 21:56
S90	8	Iki.in. and ((user or viewer or customer) near2 profile\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/22 21:57
S91	590	(buffers same ((portion\$1 or fragment\$3 segment\$3) near3 (video or program or movie\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:56
S92	265	(buffers with ((portion\$1 or fragment\$3 segment\$3) near3 (video or program or movie\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 12:20
S93	1862	725/86-104.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:56
S94	33	S92 and S93	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 11:56
S95	0	(buffers with ((portion\$1 or fragment\$3 segment\$3) near3 (video or program or movie\$1))) and ((pyramid skyscraper) near3 (approach or broadcast or distribu\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 12:22
S96	3	((buffer\$3 cache\$1 or stor\$3) with ((portion\$1 or fragment\$3 segment\$3) near3 (video or program or movie\$1))) and ((pyramid skyscraper) near3 (approach or broadcast or distribu\$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 12:24
S97	135	((buffer\$3 cache\$1 or stor\$3) with ((portion\$1 or fragment\$3 segment\$3) near3 (video or program or movie\$1))) and (pyramid skyscraper)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 12:25

S98	105	((buffer\$3 cache\$1 or stor\$3) with ((portion\$1 or fragment\$3 segment\$3) near3 (video or program or movie\$1))) and (pyramid skyscraper) and channel\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 12:25
S99	41	((buffer\$3 cache\$1 or stor\$3) with ((portion\$1 or fragment\$3 segment\$3) near3 (video or program or movie\$1))) and (pyramid skyscraper) and channel\$1 and pointer\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 12:33
S100	90	((multiple or plural\$4) near3 buffer\$1) same ((portion\$1 or fragment\$3 segment\$3) near3 (video or program or movie\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 12:51
S101	2	((multiple or plural\$4) near3 loader\$1) same ((portion\$1 or fragment\$3 segment\$3) near3 (video or program or movie\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 12:55
S102	3	((multiple or plural\$4) near3 loader\$1) same ((portion\$1 or fragment\$3 segment\$3) with (video or program or movie\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 12:55
S103	126	((multiple or plural\$4) near3 load\$3) same ((portion\$1 or fragment\$3 segment\$3) with (video or program or movie\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 13:37
S104	2	"6018359".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/06/24 13:37
S105	15	("5453779" "5568180" "5612742" "5701582" "5720037" "5721815" "5721823" "5724646" "5764893" "5768518" "5793412" "5793971" "5808607" "5831662" "5884141").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/06/24 19:58